

MTAA Board Meeting 2:30 PM

Tuesday, November 18, 2025 MTAA Philip Billard Airport Terminal 3600 NE Sardou Ave., Building #4

Addressing the MTAA Board: In accordance with MTAA Bylaws, public comment may be allowed in the discretion of the MTAA Board Chairperson. Any person desiring to address the Board during any meeting should provide three (3) business days advance written notice to the MTAA regarding their request to provide public comment and the topic(s) upon which they would like to comment. The written request must be addressed to the MTAA President at: mtaa@mtaa-topeka.org or 6510 SE Forbes Ave., Ste. 1, Topeka, KS 66619. Any person allowed public comment in the discretion of the MTAA Board Chairperson will be limited to the time identified by the MTAA Board Chairperson upon the topic(s) allowed by the MTAA Board Chairperson. The allotted time may be extended upon majority vote of the MTAA Board.

- 1. Inquire if Notification was given to all Requesting Notification of MTAA Board Meetings
- 2. Approve Minutes of the Regularly Scheduled Board Meeting of October 21, 2025.
- 3. Public Comment
- 4. Adopt Agenda

DISCUSSION AND POTENTIAL ACTION ITEMS:

5. Consider revision of MTAA Bylaws

ACTION ITEMS:

- 6. Consider Bid for Billard Fence Project
- 7. Consider Deductible Payment on Billard Tenant Loss
- 8. Election of Officers for December 2025 through November 2026.
- 9. Consider Resolution No. 25-309 for Authorization of Depository Signatures; and Resolution No. 25-310 for Authorization of Certificates of Deposit Signatures at All Shawnee County Financial Institutions.
- 10. Consider Cost of Sewer Repairs at Billard

INFORMATIONAL REPORTS:

- 11. Monthly Reports:
 - a. Project Updates Sam Stallbaumer, WSP USA
 - b. Aviation-Related Issues & Air Service Eric Johnson
 - c. Maintenance Report Eric Johnson
 - d. TOP Fuel Service Fuel Sales Report Eric Johnson
 - e. Economic Development & Leasing Activity Curtis Sneden
 - f. Financial Reports Laura Hartley
 - g. Directors' Comments
- 12. Executive Session